



D E F Y I N G C O N V E N T I O N

Store, Protect and Serve

Equipment for peace of mind and the ultimate wine drinking experience



Inside

WineMaster Conditioning Units for cellars	4
Thermocold Split Units	6
WineMaster Wine Arm – Flush Ceiling Mounted Unit	7
Insulated Cellar Doors	8
Hygromaster Humidifier	8
Wine Rooms (inc. Self Build)	9
Bag in the Box (BIB) Refrigerated Dispensers	10
Wine Preservation ‘at the bar’	10
Wine Walls (inc bespoke)	11
OSLO Integrated Wine Cabinets (Designers only)	12
Racking	13
Cabinets	13
Technical Specifications	14

The End Result

It's all about that moment when the colour hits the eyes, the bouquet hits the nose, and the wine dances on the tastebuds; a finely tuned and sophisticated combination of flavours and sensations.

Venues who value their discerning client's loyalty will immediately appreciate the advantages and benefits of reliable and consistent storage environments for both still and sparkling wine. While protecting these delicate hand-crafted liquid assets, quality establishments are also protecting their reputation by ensuring their customers' wine-drinking experience is the best it can be.

This is where Wine Corner Ltd gives customers complete assurance by advising and supplying everything needed for wine storage, display, and serving. Wine Corner is the only company in the UK that has a dedicated interest and expertise in products of excellence for restaurateurs and wine connoisseurs.

Protecting Your Investment

Restaurant Managers who maintain high standards of presentation, will also benefit from the commercial gains of utilising specially designed dispensing and preservation equipment alongside top-notch wine cellar management.

This is why products supplied and installed by Wine Corner have been selected specifically to deliver proven and consistent performance for both peace of mind and a return on investment.

For private wine collectors seeking confidence in their current storage arrangements or advice for future plans, Wine Corner has the products, equipment and expertise to give advice and help ideas become a reality.

Bespoke Wine Walls are a speciality, where connoisseurs with vision and imagination can display their collections in any-sized space, creating a unique ambience within the home or cellar.

Wine Storage Specialists

If you're looking for peace of mind that every glass you pour will be in excellent condition and at the perfect temperature, then call the Wine Corner Team now on 01302 744916 for advice and information that delivers 'the end result', *the ultimate wine drinking experience.*





Monoblock: installation through the wall up to 25m³

Wine C25, C25S and C25SR

The C25, C25S and C25SR are specially designed for small volumes and provides conditioning for up to 25m³. They are easy to install as well as quiet in operation.



Excellent value for money

The Wine C25 gives excellent value for money as well as excellent performance. Like the other models, the wooden frame is supplied with the device and is included in the price.

Attractive

Particularly compact, its fluid lines and colour, evoking the world of wine, blend harmoniously into your cellar

Space-saving

With its shallow depth, the Wine C25 is perfect for small areas such as an attic, a cellar or any small space you decide to use for storing wine.

Fully equipped

The Wine C25 has all the same advantages as the more powerful models in the range:

- An electronic thermostat with digital display
- A dust filter for easier maintenance
- R449A coolant, without CFCs
- Reaction turbine on the condenser side
- Wine C25S and C25SR models also features a heating function
- Wine C25SR model features a heating belt to combat frost where the unit is mounted on an external wall

Wine Conditioning Units

Which model
is right for you?

Monoblock: installation through the wall up to 50m³

The C50S and C50SR are installed inside the cellar with an external air inlet and hot air outlet duct. As such these models are very discrete, being practically invisible from the outside.



Wine C50S & C50SR

Designed for volumes up to 50m³, the C50S and C50SR conditioners are designed for both professionals and amateurs.

Protects the wine against excess light

Wine must be kept away from bright light and ideally should be kept in the dark. The Wine C50S and C50SR are equipped with a pilot light which is reduced in intensity but adequate for you to choose your vintage wines.

Easy to install

These models are supplied with a wooden frame so that it can be built-in.

Complete standard equipment

- "Two-step" electronic thermostat with function display
- On/Off switch with "booster" setting to reduce the time taken for the cellar to reach an optimum, evenly distributed temperature
- Pressure switch for adjusting the outside fan speed
- A dust filter for easier maintenance
- R407A gas coolant, without CFCs
- Reaction turbines
- Heating function



In Cellar Units

Wine IN25 & Wine IN50+

Designed for volumes up to 25m³ and 50m³ the Wine IN25 and Wine IN50+ have the same benefits as the Wine C25S or the Wine C50S and will delight the most demanding customers with their discretion and installation facilities.



Practical

The C25IN or Wine IN50+ are installed inside your cellar. Only two 125mm diameter holes for the C25IN, or 150mm for the Wine IN50+, are needed for the ducts to be fitted. The maximum lengths of the ducts is 6m (2x3m) for both models. These are ideal devices where hot air can only be evacuated outside the building.

Easy to install

With the Wine IN25 and Wine Wine IN50+, installation is easy and unlike 'split' systems, no cold connection is needed. An installation kit including a set of accessories, notably the insulating ducts and decorative grilles, is included.

Discreet

These two models are installed entirely inside your cellar. Attached to the wall (Wine IN25) or floor mounted (Wine IN50+) they are invisible from outside, which protects your installation from indiscreet observation.



Split Ducted Units

Wine SP40DU

The Wine SP40DU is specifically for wine cellars up to 40m³. This new generation conditioning unit for wine cellars is a ducted conditioning unit offering:

- Unobtrusive positioning
- Constant temperature regulation by heating or cooling
- Humidity level maintenance
- Temperature adjustment from 4°C to 15°C
- Low noise levels
- Automatic defrosting

To protect your wine further, we have provided all the essential protective features including:

- Pressure-controlled expansion valve and speed regulator
- Pressure-controlled safety switches for low/high pressure
- Check valve
- Heating belt
- Metal dust filter

The Wine SP40DU is for wine cellars and is available in three versions: the basic Split Conditioning Unit (for connections over a maximum distance of 20m horizontally and 10m vertically) and two models with insulated pre-charged flexible connecting lines, 4m or 8m in length, (for simple installation between the indoor and outdoor locations).

The Wine SP40CA

Combining all the features and benefits of the Wine SP40DU, the Wine SP40CA has been designed specifically for the conditioning of bespoke wine cabinets. The Wine SP40CA is available in three versions like the SP40DU.



For more information including brochures and user guides, please visit our website and look up wine cellar conditioning units in the the Products section.

Split Units

Wine SP100 and SP100-8

The Wine SP100 and SP100-8 offers substantial cooling power. Designed for volumes of up to 100m³*, these air conditioners consists of two elements which are connected to each another, one located inside the cellar, and the other outside.

Practical

Connection between the two units is simple. This is done via a flexible section which is either 4.5 or 8 metres long and has a diameter of only 50mm. The external unit, which has a low sound level, can therefore be moved away from the internal unit, and installed outside the building. This is an ideal solution if the cellar is underground, or is in a location adjacent to the dwelling.



Easy to install

The SP100 is a split system which can be complicated to install. However, this has been made easy with the SP100 and you only have to join the two connections.

Complete standard equipment

- Electronic thermostat with digital display, which is simple to use and is factory pre-set
- Dust filter for easy maintenance. This ensures that your wine conditioner has a long service life
- Heating function
- R407c CFC-free ecological coolant gas, which increases the power of the compressor
- Reaction fans for well-controlled electrical consumption

* depending on insulation



Wine Split TL Range

This range includes three split units; TL6, TL10 and TL16. These units are probably the quietest split units on the market. The fact that they are also energy saving makes them units a real winner.

Wine Split TL6 and TL10 also have a dust filter on the warm part/compressor and are supplied either with a wall evaporator or a ceiling-mounted system. The TL16 is available for wall mounting only.

The noise level of the evaporator unit (inside unit) is 30 dB whilst the outside unit noise level is 40 dB. The units are designed to cool different wine cellar sizes; TL6 is for up to 8m³, TL10 for up to 12m³ and the TL16 for up to 17m³ with a drain.

Please note: when purchasing a split refrigeration unit you will also require a pipe package of either 10 or 20 metres.



Wine Arm 15


The Wine Arm 15 is a compact, ceiling mounted unit which can be discreetly incorporated into your wine room or cellar. It is perfect for cooling a room space of 15 m³ where your wine will be stored at a consistent temperature between 8 and 18°C.

About the Wine Arm 15

- Silent Operation (38dB) creating a peaceful ambience
- No drainage or pipework (backup overflow pipe included if needed)
- Uses a regular 220-240v mains supply so just plug in and 'go'
- Low energy consumption to keep running costs down
- Proven engineering providing worry-free long-term performance
- Regulated by a wired electronic thermostat for reliability
- Easy-reach dust filter for easy maintenance
- Air ducting and pump kits are available for the Wine Arm 15 to improve air flow where air flow might be restricted. Please call for details and advice.



Easy access for filter cleaning



Glazed Cellar Door, Glazing & Hygromaster

A door adds the finishing touch to your Wine Cellar or Wine Room. However, a wine cellar door from Wine Corner is not just a door, it is a thermally efficient, insulated door that doesn't just look good, but helps to maintain the overall integrity of your wine cellar.

The insulated glass door is beautiful and is also made with the very best materials. With A-Rated thermal efficiency this door offers a U-value of 1.3 W/m²K. The door is constructed to maximise insulation and includes:

- Door and frame constructed from steel reinforced, fully welded, multi-chambered white uPVC profile with sculpted beading and profile gives attractive lines to both the door and frame
- Co-extruded rubber bubble gaskets for a near air-tight seal
- Door set on three fully adjustable flag hinges to enable a perfect fit
- Key locking handle secures the door using a two point locking mechanism
- Low profile aluminium threshold for that all-important seal on the base of the door
- Toughened safety glass double glazing, with an Active Blue tint option, maintains an effective thermal barrier between warm and chilled air.

Colour options include White, Cream, Irish Oak, Rosewood and Light Oak. We also offer a choice of bespoke colours including Chartwell Green, Grey and classic Black.

Dimensions: 760mm wide x 1981mm high

Wine Corner also offers bespoke glazing solutions with supreme insulation properties. Glazed wine rooms are popular choices at the moment as they can show off wine collections beautifully.



Optional Airtight Door

Made of lacquered steel, with polyurethane insulation to guarantee optimal insulation.

Overall external dimensions
Height 1900mm -Width 600mm

Doorway dimensions
Height 1860mm -Width 590mm

WineMaster Door PC15 Built in Convenience

An insulated door with integrated wine conditioning unit. Comes with a lock and frame which is made of lacquered steel, with polyurethane insulation to guarantee optimal insulation.



Hygromaster®

A humidifier which enables you to set the humidity level appropriate for your wine cellar. Can be hung on the wall, set on the floor or on a stable shelf. Delivered with a water tank including connecting parts and water pipe.



Wine Corner Wine Rooms Bespoke and Self-Build

Wine Corner Self-Build Wine Room is an 'off-the-shelf' ready-to-build wine cellar, with everything you need to provide perfect storage conditions for your wine collection. You can even dismantle it and relocate it. A truly unique product using only the best insulation materials and conditioning units with a proven track record in performance and reliability.

Available to order online:

- **Wine Corner Self-Build Wine Room**
Standard sizes (in mm)
1200 x 1200 x 2108h
1200 x 1800 x 2108h
1800 x 1800 x 2108h
1800 x 2200 x 2108h

Included: floor, shelves, lighting, door, conditioning unit, and 2 year guarantee.

- **Options:**
Integrated Wine Rooms
Wine Racking
Installation services

Please see website for information and please call us for advice and pricing. Every customer has different requirements and we're here to deliver what you need and to make the process as smooth as possible.

Wine Corner Bespoke Wine Rooms are designed to fit the available space in your location; cabinets and racking are selected and arranged to suit the needs of your particular collection, and the extensive choice of finishes will allow the room to compliment or blend in with your existing décor.

Call us to find out more on 03333 702589 or 01302 744916



A bespoke Wine Room using our conditioning equipment

Wine Corner BIB Dispensers

The practical solution for retailers and the hospitality industry who are making the eco-friendly transition to sell or serve 'BIB' (bag in a box) wine.

This exclusive Wine Corner refrigerated BIB dispenser range gives the retailer, licensee, or wine-lover a choice of different storage volumes accommodating bags or boxes, or a combination of both.

Benefits include:

- Hygienic dispensing
- Wine quality preservation
- Minimum wastage
- Measured dispensing
- Easy install, cleaning and maintenance
- Wine served at perfect temperature




The Wine Corner Totem dispenser (above) also features a delivery system with pre-measured volumes, from a small glass to a pitcher, making it a very practical choice for the home, bars and restaurants.

Details of the full range and demonstration movies are available on our website.

Wine Preservation System by Wine Corner

The Duo TechnoWine Unit is an advanced, easy to use wine preservation system. It extracts oxidising air from opened bottles by using a special vacuum and stopper system. Likewise, for sparkling wine, bottles can be re-gassed preserving the contents for at least 15 days. (Also available as single units).

Perfect for wine bars, restaurateurs and hoteliers, find out more by visiting our website www.winecorner.co.uk or calling us on 01302 744916.



Stopper for still wine

Stopper for sparkling wine



Wine Corner Wine Walls Modular Wine Wall



Wine Wall is a superbly designed temperature-controlled wine storage display system, perfect for wine rooms, cellars and restaurants.

The most unique feature of Wine Wall is the flexibility of its modular design which can be free standing or integrated. Both the technical and visual aspects of Wine Wall offer a wide range of storage and display options, so you can find a combination of cabinets and finishes that will suit and compliment your location perfectly.

Wine Wall incorporates an innovative cooling system with a cooling coil positioned at the centre of the case, ensuring the contents are at just the right temperature. Other innovative features are the double-glazed doors, separated compartments and premium sidewall insulation, all of which help to maintain a stable storage environment and low energy consumption.

Bespoke Wine Wall

An individually designed wine wall is the perfect answer to wine storage that seamlessly fits the available space.

The beauty of the bespoke wine wall option gives you total flexibility in the choice of doors, finishes, lighting and racking, to give you exactly what you want. Wine Corner have the expertise and experience to design storage to protect your wine; taking into account the style of your room and the technical aspects of air flow, accessibility, presentation and maintenance.

Exteriors can be professionally painted to suit any RAL colour. For more details and examples please visit the website.



OSLO Integrated Wine Cabinets

OSLO integrated cabinets offer market leading levels of performance, flexibility and longevity, along with a wide range of sizes and bottle capacities.

The OSLO range of cabinets raises the bar when it comes to build quality and technical specification.

For example, the UV protection glazing, anti-vibration cushions and humidity systems are manufactured from higher grade materials than normally used, providing excellent performance for longer and giving extra peace of mind for Kitchen Design Specialists and their clients.

There are two versions of the cabinets, for column and under-counter integration, with the smaller column cabinet also having the option of a 'tip-down' door. Dual and triple temperature zones are available for the larger models.

The cabinets are stylish with a choice of contemporary door and glazing finishes, shelving and LED Lighting. More details are available on the website (see below).



**EXCLUSIVE
to Wine Corner
& Partners**

The OSLO range is only available to order direct from Wine Corner Ltd and our official partners.

For details, please visit
www.winecorner.co.uk or call us on:
03333 702589 or 01302 744916
Email: info@winecorner.co.uk

Wine Racking

The wine racking you will require will very much depend on the size and shape of your wine cellar. Just as each cellar is different, so is each wine collection and so wine racking has to be tailored to individual needs and desires.

With our wine cellar expertise, we also offer bespoke wine racking in solid oak and pine stained light oak. The pine stained oak is available in a range of colour finishes including Danish oil, medium oak, dark oak, limed oak, grey oak and black oak.

We work with you to develop a wine racking system that best uses the space available, whilst enhancing the display of your valuable wine collection.



For more information and for help with your wine racking, please call us on 01302 744916 or 03333 702589.

Wine Cabinets

For the smaller wine collections and for everyday wine consumption, freestanding or integrated wine cabinets can be the perfect solution to your storage requirements.

Wine Corner offers a wide range of wine cabinets as well as offering bespoke cabinet production.

- 57 to 276 bottle capacity (more with bespoke options)
- Solid wood, metal, integrated & freestanding options
- Single door under counter versions
- Two door upright and side by side versions
- Doors available in a variety of finishes
- Interior walls are pre-painted stainless steel to make them easy to clean, long lasting and robust
- Anti-UV doors to protect wines from the light
- High density polyurethane insulation to enable consistent temperature within the cabinet
- Option of cabinets with differing constant temperatures allowing you to keep different types of wines in the same cabinet

Classic Line
Natural wood cabinet with vintage handle, lock and external hinges
















CEX801
Wood model with glass door & multi temperature.



CEX501
Wood model with glass door.

Technical Information

	 Wine C25, C25S, C25SR	 Wine C50S, C50SR	 Wine IN 25	 Wine IN 50+	 Wine SP40DU	 Wine SP40CA	 Wine SP100 & SP100-8	 Wine Split TL6	 Wine Split TL10	 Wine Split TL16	 Wine Arm	 WM Door PC15	 Hygromaster
Conditioning capacity according to insulation*	up to 25m³	up to 50m³	up to 25m³	up to 50m³	up to 40m³	up to 15m³	up to 100m³	up to 8m³	up to 12m³	up to 17m³	up to 15m³	up to 15m³	
Overall dimensions**	381h x 540w x 524d	530h x 552w x 590d	540h x 540w x 630d	1044h x 500w x 478d	408h x 633w x 415d (int) 317h x 638w x 546d (ext)	262h x 517w x 327d (int) 408h x 633w x 415d (ext)	1005h x 480w x 395d	420h x 420w x 220d (Compressor Unit) 375h x 440w x 190d (Energizer Split) 160h x 480w x 430d (Ceiling evaporator) 360h x 430w x 210d (Wall Evaporator)			317h x 885w x 424d	2020h x 760w x 254d	
Weight	31 kg	45 kg	40 kg	51 kg	35kg (int) 26kg (ext)	17kg (int) 35kg (ext)	45kg (int) 15kg (ext)	23 kg	24 kg	26 kg	31kg	100kg (the unit)	
Outer dimensions of wooden frame used for building-in**	374h x 514w x 150d	150 x 544 x 374	-	-	-	-	-	-	-	-	-	-	
Cooling power	550W	1200W	550W	1200W	900W at 15°C****	900W at 15°C****	2500W	8000 litres/390W	12000 litres/450W	17000 litres/780W	500W at 15°C	400W	
Power consumption	440W	900W	440W	900W	600W	600W	1250W	-	-	-		390W	
Electrical power	230-240V - 50 Hz	230-240V - 50 Hz	230-240V - 50 Hz	230-240V - 50 Hz	230-240V - 50 Hz	230-240V - 50 Hz	230-240V - 50 Hz	220-240V AC 50Hz			220-240V - 50Hz	230-240V - 50 Hz	Power consumed for humidification: 45W Voltage: 230-240 V - 50 Hz Intensity used for humidification: 0.2 A Humidification capacity: 18.2g water/h at 12°C Dimensions: 140h x 258w x 166d Power cord length: 1.5m
Coolant	R449A (no CFCs)	R407A (no CFCs)	R449A (no CFCs)	R407A (no CFCs)	R449A (no CFCs)	R449A (no CFCs)	R 407 c (no CFCs)	R134A CFC free 0.29kg			R449A (no CFCs)	R449A (no CFCs)	
Diameter of condensate evacuation pipe	9 mm	9 mm	9 mm	10 mm	internal 16mm external 20mm	internal 16mm external 20mm	10mm	10mm	10mm	10mm	-	-	
Wooden frame supplied with the device	yes	yes	-	-	-	-	-	no	no	no	-	-	
Connecting kit	-	-	IN option	IN option	-	-	-	Yes optional extra	Yes optional extra	Yes optional extra	-	-	
Heating function	C25S and C25S/SR	yes	yes	yes	yes	yes	yes	Yes optional extra	Yes	Yes	-	-	
Heating power	250W for CS25	500W	250W	500W	500W	500W	1000W	-	-	-	-	-	
Thermostat and thermometer with digital display	yes	yes	yes	yes	yes	yes	yes	no	no	no	yes	yes	
Dust filter***	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Reaction turbines	yes (condenser side)	yes	yes (condenser side)	yes	yes	yes	yes (condenser side)	no	no	no	-	yes	
Lighting (device with a pilot light)	no	yes	no	yes	no	no	no	-	-	-	no	no	
Guarantee	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years	2 years	
Installation guide supplied with the device	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Sound level to 1m - 3m	49dB - 40dB	51dB - 47dB	43dB - 38dB	53dB - 50dB	49dB to 1m with optional sound proofing case or 59 (1m) and 49 (5m)	49dB to 1m with optional sound proofing case or 59 (1m) and 49 (5m)	53dB - 50dB	inside unit: 30db outside unit: 40 dB	inside unit: 30db outside unit: 40 dB	inside unit: 30db outside unit: 40 dB	38dB	42dB - 40dB	
Heating strip to combat frost	only C25SR	yes	-	-	yes	yes	-	Yes optional extra	Yes optional extra	Yes optional extra	-	-	

* For larger volumes, please contact us
** Dimensions HxWxD (in mm). For specific internal and external dimensions, please contact us
*** Dust filters available
**** The cooling performance is dependant on the outside temperature. Therefore, the set temperature of 12°C for the cellar cannot be maintained if the outside temperature reaches 40°C.

Guarantees
All refrigeration units come with a 2 year warranty.
Installation
For more detailed information regarding installation please refer to our website or contact us.

Coolants used will always meet current legislation at the time of purchase.

Wine Corner Limited is committed to providing products and services that defy convention. Whether for the hospitality industry or home owners, we offer the very best in quality, performance, design and reliability.



The Corner Fridge Company

Our sister company, The Corner Fridge Company offers refrigeration products including the Corner Fridge, Cold Rooms and much more. You can find out more about the Corner Fridge Company by visiting www.cornerfridge.com.



Wine Corner Limited, Unit 4 Brunel Close,
Harworth, Doncaster, South Yorkshire, DN11 8QA

Tel: 00 44 (0) 1302 744916

or 0333 702589

E-mail: info@winecorner.co.uk

Web: www.winecorner.co.uk



WineCornerUK



@winecorner1



[linkedin.com/company/wine-corner-ltd](https://www.linkedin.com/company/wine-corner-ltd)



DEFYING
CONVENTION

© Wine Corner Limited 2019. We reserve the right to change product specifications and prices without prior notice. Wine Corner Limited does not accept any responsibility for any loss, which may arise as a consequence of reliance on information contained in this brochure.